

EXPORT CATALOGUE

EFFECTIVE FROM MARCH 2026

WHEEL ALIGNERS





AND ORIGINAL ACCESSORIES




SICE
AUTOMOTIVE EQUIPMENT

REL. MARCH 2026

COLOR TABLE

Standard		RAL 1007	Yellow	A => /40
Optional		RAL 3002	Red	B => /16
Optional		RAL 5015	Blue	C => /25
Optional		RAL 9006	Light Grey	D => /36

Il telaio principale é sempre grigio scuro RAL 7016  => /34

NEXION SPA reserves the right to change the specifications of its products at any time without prior notice. The company declines all responsibility in the event of claims deriving from the use of non-original accessories or spare parts with consequent forfeiture of the EC declaration of conformity.


SUMMARY

PRE-CHECK DRIVE-THROUGH	4
A 100 XPRESS	4
TR100 STANDALONE	8
OPTIONAL ACCESSORIES FOR TR100 STANDALONE	9
3D WHEEL ALIGNERS	11
A 94	11
CCD WHEEL ALIGNERS	12
A 926E	12
A 926 MOBILE	13
A 926 SMART	14
OPTIONAL ACCESSORIES FOR A 926 MOBILE AND A 926 SMART	15
A 948E	17
OPTIONAL ACCESSORIES	18
CAMERA WHEEL ALIGNMENT TECHNOLOGY	38
A 92E	38
A 92E PIT CHECK	39
COMPULSORY ACCESSORIES FOR A 92E PIT CHECK	40
A 92	41
OPTIONAL ACCESSORIES	43
INTERNET SERVICE TO UPDATE THE DATABASE & ACTIVATE NEW FEATURES REMOTELY	57

A 100 XPRESS



Dynamic pre-check during passing
quick car vehicle check
and light commercial vehicles

Analyze the forces exerted
while driving and expects
tire wear.







Codice	Descrizione	
0-35101101/40	A100 Xpress Full Pack: includes central unit with cabinet, PC, keyboard, mouse, processing system, measuring platforms for recessed installation and traffic light.	
0-35101201/40	A100 Xpress KIT: includes the processing system, measurement platforms for recessed installation and traffic light	
8-35400003	Customization kit to be ordered with A100 Xpress: includes software, user manuals, customization items (compulsory)	





OPTIONAL ACCESSORIES

Image	Description	Code		A 100 Xpress	A 100 Check
	<p>USB colour inkjet printer. Available only for shipment from Italy</p>	8-21120005		-	O
	<p>Wireless remote control kit (with 2.4 GHz industrial radio)</p>	8-35100086		O	-

OPTIONAL ACCESSORIES


Image	Description	Code		A 100 Xpress	A 100 Check
	Portable <i>induction heater</i>	8-35100059		-	O
	<i>Pre-check</i> databank updating kit - A 100 Xpress	8-35100093		O	-
	<i>PRE-CHECK</i> data bank updating kit	8-35100069		-	O
	<i>PRE-CHECK</i> Usa data bank enabling kit	8-35100071		-	O
	27" LCD basic monitor	8-34120000		O	-
	<i>LCD</i> Monitor support	8-61200143		O	-

OPTIONAL ACCESSORIES

Image	Description	Code		A 100 Xpress	A 100 Check
	USB Inkjet coloured printer	8-61200237		O	O
	NEXREMOTE The tablet is used as a remote control unit of the graphic user interface or as an additional portable monitor. It can also be used to show in real time to the customer the current vehicle status.	8-31100001		O	O
	Ramp kit for floor installation	8-35100084		O	-
	license plate recognition KIT	8-35100096		O	-





NEW!

TR100 STANDALONE





Code	Description	
0-35100601/39	TR100 STANDALONE FULL PACK , Stand-alone profilometer with integrated laser - flush installation - Profilometer, cabinet, PC, mouse trackball, printer unit, electrical system interface included	
0-35100701	TR100 STANDALONE KIT , Stand-alone profilometer with integrated laser - flush installation - Profilometer, electrical system interface included	
8-35400002	Compulsory customization kit for TR100 Standalone	

OPTIONAL ACCESSORIES FOR TR100 STANDALONE

<i>Image</i>	<i>Description</i>	<i>Code</i>	
IMAGE NON AVAILABLE	Management Software Package for TR100 Standalone	8-35100061	
	Ramps for TR100: ramps kit for on-floor installation	8-35100021	
	27" basic monitor	8-34120000	
	22" LCD/LED 22" Widescreen monitor.	8-21100234	
	LCD monitor holder	8-61200143	


OPTIONAL ACCESSORIES FOR TR100 STANDALONE

<i>Image</i>	<i>Description</i>	<i>Code</i>	
	<p>USB inkjet printer (only for PROFILSCAN STANDALONE KIT version)</p>	8-61200237	
	<p>Mouse kit (only for PROFILSCAN STANDALONE KIT version)</p>	8-33100078	

3D WHEEL ALIGNERS

A 94

Standard accessories



Model complete with:

- Column
- PC
- Keyboard
- Mouse
- 4 targets with anti-reflection filter
- Steering lock
- Brake depressor




Wheel alignment and precheck for cars and light transport with 4 cameras


Code	Electric Supply	Description
0-34103001/49	100-240Vac/1Ph/50-60Hz	A94 FULL PACK: Four Hi-Q digital camera for machine vision, suitable for any wheel clamp. Provided with measuring beam, column, PC, keyboard, mouse, 4 hi-resolution light targets with anti-reflective filter, steering wheel lock, brake depressor. LCD Display, printer, wheel clamps and turntables not included. NEW "ROC SMART" FUNCTION INCLUDED.
8-34900091/40		Customization kit to be ordered with A94: alignment software, user manuals, customization items (compulsory)

A 926E

STANDARD ACCESSORIES



- Monitor and printer unit not included




Instructions manual



Code	Electric Supply	Description	
0-33416201/40		A926E	

A 926 MOBILE

STANDARD ACCESSORIES



Carrying case included

Code	Electric Supply	Description	
0-39400101		A 926 MOBILE	

A 926 SMART






ACCESSORI STANDARD




Clamps NOT included

Code	Electric Supply	Description	
0-3311140101/39	100-240Vac/1Ph/50-60Hz	A926E SMART Wheel aligner including 4 wireless sensors and "docking station "(equipped with charging stands, battery charger and brackets holder), steering wheel lock and depressor. Floor or wall fixing.	
8-33100182		Compulsory customized kit for A926E SMART including alignment software, user manuals, customizing items	

OPTIONAL ACCESSORIES FOR A 926 MOBILE AND A 926 SMART

Image	Description	Code		A926 MOBILE	A926 SMART
 <p>x4 x4</p>	<p>4x 4-points 11"-21" wheel clamps for cars, with 26" extenders included</p>	<p>8-34100022</p>		-	O
 <p>x4</p>	<p>4x 4-points 11"-21" wheel clamps for cars</p>	<p>8-34100020</p>		-	O
 <p>x4</p>	<p>Kit of extenders to 26" for clamps code 8-34100020</p>	<p>8-34100021</p>		-	O
	<p>LAPTOP PC with Windows 10</p>	<p>8-33100161</p>		O	O
	<p>Rugged laptop PC with Windows 10</p>	<p>8-33100170</p>		O	O

OPTIONAL ACCESSORIES FOR A 926 MOBILE AND A 926 SMART

<i>Image</i>	<i>Description</i>	<i>Code</i>		A926 MOBILE	A926 SMART
	<p>Cabinet for printer unit</p>	<p>8-34900036/40</p>		<p>O</p>	<p>O</p>







A 948E

ACCESSORI STANDARD










Code	Electric Supply	Description	
0-33416301/40		A948E	








OPTIONAL ACCESSORIES

OPTIONAL ACCESSORIES				A 94	A 926 E/Smart/Mobile	A 948E	A 98
Image	Description	Code					
MONITORS AND PRINTER							
	22" LCD/LED 22" Widescreen monitor.	8-21100234		-	O	O	-
	27" Widescreen basic monitor.	8-34120000		O	-	-	O
	32" LCD Monitor	8-31600016		O	-	-	-
	LCD Monitor support	8-61200143		-	O	O	-
	USB inkjet colour printer.	8-61200237		O	O	O	O
	Mouse kit.	8-33100078		O	O	O	O








OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
CLAMPS							
	<p>ClampOnTyre: Quick, self-centring, ergonomic. Fixing to the wheel, without contact with the rim. The supplied jaws allow gripping on wheel diameters from 19" to 32". Wheel arch protection included. The code includes one clamp. REMARK: To use the ClampOnTyre with A 92E aligner it is mandatory to order kit 8-34100048</p>	8-33100189		O	-	-	-
	<p>Set of extensions for vans: set for use with vans. Kit for one clamp.</p>	8-33100191		O	-	-	-
	<p>Set of XL extensions: for wheel diameter from 32" to 39". Kit for one clamp.</p>	8-33100190		O	-	-	-
	<p>kit consisting of 4 thin upper jaws for clampontyre. kit for 4 clamps.</p>	8-33100202		O	-	-	-
	<p>Fall protection steel cable kit for 4 clamps: includes 4 steel cables and mounting components. Compatible with ClampOnTyre.</p>	8-33100196		O	-	-	-
	<p>Wheel Rim Guard Kit: Plastic protection for very protruding rims. Compatible with ClampOnTyre.</p>	8-33100197		O	-	-	-
	<p>Clamp holder multi-purpose trolley and additional jaws. Accessory compatible with 8-33100189</p>	8-33100193		O	-	-	-





OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
	Clamp holder set for wall mounting with support for additional jaws.	8-33100192		O	-	-	-
	Aligner Trolley II: to use the wheel aligner in different working bays or in drive-thru mode	8-34900072/90		O	-	-	-
	Drive-On assistant: driving assistance camera for easy and correct positioning of the vehicle on the lift or in the workshop without the help of an assistant or mirrors.	8-34100032		O	-	-	-
	CM lift autotracking enabling kit	8-34900071		O	-	-	-
	Shelf for printer Alternative mounting to the support for second LCD monitor. Mandatory if the printer is ordered.	8-34900095/90		O	-	-	-
	Secondary LCD display support	8-34900093		O	-	-	-
	Calibrator 2.0 complete for calibration and maintenance	8-34900011		O	-	-	-



OPTIONAL ACCESSORIES

OPTIONAL ACCESSORIES				A 94	A 926 E/Smart/Mobile	A 948E	A 98
Image	Description	Code					
CLAMPS							
	Quick wheel clamp 13" to 28" (for new rims or rims in good conditions); compensation kit; spacers for rounded rims included; spirit level included	8-33100146		-	O	O	-
	Carbon wheel bracket 10" to 26" for cars.	8-33100159		O	O	O	O
	Extra-light 4-points clamp 10" to 26" with carbon inserts and resin coated/double-profile claws	8-33100166		O	O	O	O
	Wheel hook kit for 4-points clamps (kit for 4 clamps). Includes the 8-33100185 (Kit of 4 plastic pins type 1). Suitable for clamps 8-33100159, 8-33100166, 8-33100130 and 8-33100177.	8-33100184		O	O	O	O
	Kit of 4 plastic pins type 1	8-33100185		O	O	O	O
	Kit of 4 plastic pins type 2	8-33100186		O	O	O	O
	Kit of 4 plastic pins type 3	8-33100187		O	O	O	O







OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
CLAMPS							
	Wheel bracket 10" to 21" for cars with sliding pin	8-33100162		O	O	O	O
	Wheel bracket 10" to 21" for cars with sliding pin and resin coated/ double-profile claws	8-33100176		O	O	O	O
	Wheel bracket 10" to 21" for car.	8-33100130		O	O	O	O
	Wheel bracket 10" to 21" for cars resin coated/double-profile claws	8-33100177		O	O	O	O








OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
	Clamp for BMW and MERCEDES cars.	8-33100041		O	O	O	O
	Quick clamp 9" to 21" for cars.	8-33100025		O	O	O	O
	Set of four 3-point automatic quick clamps from 10" to 21" for ALU rims and well centered rims, "Run Out" compensation is not required	803269218		O	O	O	O
	Wheel bracket 17,5" to 25" for trucks.	803250354		-	-	O	-

OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
ACCESSORIES FOR CLAMPS							
	Set of 4 elastic cords suitable for all bracket types	8-34900045		O	O	O	O
	SPIDER CLAMP: 4 pins kit for 1 bracket, suitable only on 10-26" brackets for A98; compulsory ROC procedure	8-33100157		-	-	-	O
	Adapter for low body cars. L=55 mm.	803232814		-	O	O	-
	Adapter for low body cars. L=90 mm.	803252515		-	O	O	-
	Pair of adapters L=55 mm, BMW design.	8-33100031		-	O	O	-
	Adapter for trucks and buses, L=240 mm.	803232815		-	O	O	-





OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
	4" extensions kit + truck adapter for one 10-26" bracket.	8-33100100		-	0	0	-
	Set of 4 double profile pins for wheel brackets.	8-33100039		0	0	0	0
	Kit of 4 resin coated/double-profile claws for wheel clamps code 8-33100159 and 8-33100130. One kit for one clamp.	8-33120002		0	0	0	0
	Set of 12 claws for Iveco Daily steel rims, suitable for code 803268218 and code 8-33100025	803289414		0	0	0	0
	Set of 12 extensions to 23" for 3-point quick clamps, suitable for code 803268218 and code 8-33100025	8-33200003		0	0	0	0
	Set of 12 short claws, suitable for code 803268218 and code 8-33100025	803284944		0	0	0	0
	Kit of 4 resin coated/double-profile SCC claws for wheel clamps code 8-33100159 and 8-33100130. One kit for one clamp.	8-33120003		0	0	0	0








OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
 x4	SCC double pins (4 pcs.).	8-33120000		O	O	O	O
	Set of four Racing pin for truck wheel bracket.	803258555		-	O	O	-
	Adapter pin for MERCEDES original clamps & VAS 6041-6190-6430.	803359301		O	O	O	O
	Set of three 28" extensions for rapid clamps.	8-33100026		O	O	O	O
	Set of 12 long pins (57 mm) for rapid clamps, suitable for code 803268218 and code 8-33100025	803284945		O	O	O	O
	Set of 12 shaped claws, suitable for code 803268218 and code 8-33100025	803284946		O	O	O	O
	Set of 12 claws for outstanding profile rims, suitable for code 803268218 and code 8-33100025	8-33200004		O	O	O	O







OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
	<p>Set of 12 pin extensions of 58 mm for rapid clamps suitable for code 803268218 and code 8-33100025</p>	803284947		O	O	O	O
	<p>Complete set of Mercedes and BMW adapters (25 pcs), suitable for code 803268218 and code 8-33100025</p>	803284942		O	O	O	O
	<p>Complete set of Porsche adapters (4+4 pcs.), suitable for code 803268218 and code 8-33100025</p>	803284943		O	O	O	O
	<p>Set of 4 safety connecting cords for sensors.</p>	803261239		O	O	O	-







OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
	Set of 4 holders for car wheel brackets.	8-33100113		O	O	O	O
	Set of 4 wheel clamp universal supports for cabinet or wall.	8-33100048		O	O	O	O
Car Turntables H=50mm							
	Pair of car professional selfcentering electronic turntables (with encoder, aluminum casting). Dimensions 450x450x50 mm - Ø 345 mm Range ± 50 mm - Low friction < 5 Nm. Load 1000 kg	8-33100022		O	O	O	O
	Pair of car professional selfcentering turntables (without encoder, aluminum casting). Dimensions 450x450x50 mm - Ø 345 mm. Range ± 50 mm - Low friction < 5 Nm. Load 1000 kg	8-33100201		O	O	O	O
	Pair of car professional electronic turntables. Dimensions 450x450x50 mm Ø 345 mm. Range ± 40 mm /Low friction < 5 Nm. Load 1000 kg.	803261967		-	O	O	O
	ROC push-mode kit (2 PCS) - professional turntable to be combined with 803261967, 8-33100022, 8-33100201	8-33100017		-	O	O	O
	Pair of ramp kit for professional electronics turntables.	8-33100030		-	O	O	O





OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
	<p>Pair of car electronic turntables with ROC push-mode kit. Dimensions 400x450x50 mm Ø 320 mm Range ± 40 mm . Load 1.000 kg.</p>	8-33100101		-	O	O	O
	<p>Pair of alu mechanical car turntables with 4X roc adapters Dimensions: 500 x 470 x 50 mm. Disc diameter: 360 mm Max load: 3.000 kg 4x ROC Spacers included</p>	8-33100204		O	O	O	O
	<p>Pair of car mechanical turntables with ROC push-mode kit. Dimensions 400x450x50 mm - Ø 320 mm. Range ± 40 mm. Load 1.000 kg. 4x roc spacers included.</p>	8-33100102		O	O	O	O
	<p>Pair of wheel stops for platforms code 8-33100101 and 8-33100102.</p>	8-33100103		O	O	O	O
	<p>Pair of mechanical turntables. Dimensions 375x305x50 mm - Ø 310 mm Range ± 35 mm Load 1000 kg</p>	803268866		O	O	O	O
	<p>Pair of pads for mechanical turntable 803268866.</p>	8-33100111		O	O	O	O






OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
CAR TURNTABLES WITH DIFFERENT HEIGHTS AND SLIP PLATE							
	Pair of car electronic turntables Dimensions 400x450x53 mm - Ø 320 mm Range ± 40 mm Load 1000 kg	803252094		-	o	o	o
	High mechanical turntable for cars (wheel stop included) Dimensions 400x450x53 mm Ø 320 mm Range ± 40 mm Load 1000 kg	804241069		o	o	o	o
	ROC push-mode kit iron turntable to be combined with 804241069, 803252094, 803227745, 8-33100101, 8-33100102. MANDATORY FOR PRODUCTS USING THE “”ROC SMART”” FUNCTION.	803259570		o	o	o	o
	High profile turntable Dimensions 400x450x36 mm - Ø 320 mm Range ± 40 mm Load 1000 kg	803227745		o	o	o	o
	Short slip plate Dimensions 835x370x37 mm Load 1000 kg to be combined with 803227745	803227757		o	o	o	o
	Low profile turntable Dimensions 400x450x26 mm - Ø 320 mm Range ± 40 mm Load 1000 kg	803229274		o	o	o	o






OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
	<p>Long slip plate Dimensions 1732x535x25 mm Load 1000 kg</p>	803231255		O	O	O	O
TRUCK TURNTABLES							
	<p>Truck turntable Dimensions 450x450x24 mm - Ø 365 mm Range ± 45 mm Load 3000 kg</p>	803230950		-	-	O	-
	<p>Pair of truck mechanical turntables with graduated scale. Dimensions 470x410x51,5 mm - Ø 366 mm. Load 5000 kg. Rotation scale +/- 60 deg. Galvanised.</p>	8-33100203		-	-	O	-
	<p>A98 calibration unit: single bar and target.</p>	8-34100010		-	-	-	O







OPTIONAL ACCESSORIES

OPTIONAL ACCESSORIES				A 94	A 926 E/Smart/Mobile	A 948E	A 98
Image	Description	Code					
CALIBRATION DEVICES							
	Reference frame for A98 ; add one 8-34100009 to obtain one complete calibration kit.	8-34100005		-	-	-	O
	Transformation kit to convert one bar of the frame 8-34100005 into calibration unit 8-34100010, or to use the frame 8-34100005 as calibration kit.	8-34100009		-	-	-	O
	Certified professional calibration unit . Do not include accessories for the full scale calibration of the inclinometers and string aligners.	803259519		-	O	O	-
	Certified end of scale calibration kit (to be used with 803259519).	803259520		-	O	O	-
	Full scale calibration kit for string aligners (to be used with 803259519)	8-33100199		-	-	-	-






OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
MISCELLANEOUS AND TOOLS							
	DRIVE-ON Assistant KIT	8-34200005		-	-	-	0
	NEXREMOTE The tablet is used as a remote control unit of the graphic user interface or as an additional portable monitor. It can also be used to show in real time to the customer the current vehicle status.	8-31100001		0	0	0	0
	Update Card for Cal One Touch	8-33400053		-	0	0	0
	Wi-Fi connection kit for INDUSTRY 4.0	8-33100174		0	0	0	0
	Wireless remote control kit (with 2.4 GHz industrial radio)	8-35100060		0	0	0	0


OPTIONAL ACCESSORIES

OPTIONAL ACCESSORIES				A 94	A 926 E/Smart/Mobile	A 948E	A 98
Image	Description	Code					
MISCELLANEOUS AND TOOLS							
	Special equipment for VAS alignment.	803254284		O	O	O	O
	Kit of accessories for trailer alignment.	803254570		-	-	O	-
	16 mts cable connection from main unit for A 948, specially for trucks.	8-33200012		-	-	O	-
	Set of emergency cables only for A 926 (2 cables 7 mt + 2 cables 10 mt)	8-33100110		-	O	-	-
	Set of emergency cables only for A 948 (2 cables 4,5 mt + 2 cables 6,5 mt)	8-33100143		-	-	O	-
	ELECTRONIC TURNTABLES CONNECTION KIT includes 2x 16 mt connection cables for electronic turntables.	8-35100076		-	-	-	O



OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
MISCELLANEOUS AND TOOLS							
	Brake-pedal depressor.	8-33100081		O	O	O	O
	Steering wheel holder.	8-33100082		O	O	O	O
	Pressure toe bar for Mercedes alignment.	8-33100049		O	O	O	O
	Tool kit.	8-21100197		O	O	O	O
	External battery recharge feeder.	8-33100088		-	O	O	-

OPTIONAL ACCESSORIES

Image	Description	Code		A 94	A 926 E/Smart/Mobile	A 948E	A 98
MISCELLANEOUS AND TOOLS							
	Portable <i>induction heater</i>	8-35100059		O	O	O	O

OPTIONAL ACCESSORIES


OPTIONAL ACCESSORIES				A 94	A 926 E/Smart/Mobile	A 948E	A 98
Image	Description	Code					
DATA BANK UPDATING KITS							
	Upgrade kit for vehicle adjustment by schematic slides	8-34900097		O	-	-	-
	Upgrade kit for vehicle adjustment by schematic animations	8-34900098		O	-	-	-
	Upgrade kit for Multilink working process	8-34900099		O	-	-	-
	DB USA databank enabling kit (to be renewed every year)	8-33100125		-	O	O	O
	SCD98 Smart card and CD-rom for data bank update.	8-34120001		-	-	-	O
	SCD46 Smart card and CD-rom for data bank update A936 - A946.	8-33400025C		-	-	-	-
	SCD26 Smart card and CD-rom for data bank update.	8-33100141		-	O	O	-
	SCR Smart-card for ASA NETWORK A936-A946.	8-33400026		-	-	-	-
	SCR Smart-card procedure for VW/AUDI A936-A946.	8-33400033		-	-	-	-
	SCR Smart-card procedure for trucks A936-A946.	8-33400034		-	-	-	-
SCR Smart-card procedure for MB A936-A946.	8-33400035		-	-	-	-	
IMAGINE NON AVAILABLE	AVP upgrade kit (Audi, VW procedure) for A948-A98	8-33200020		-	-	O	O
IMAGINE NON AVAILABLE	TTP upgrade kit (trucks and trailers procedure) only for A948	8-33200022		-	-	O	-
IMAGINE NON AVAILABLE	MBP upgrade kit (MB procedure) for A948-A98	8-33200024		-	-	O	O
IMAGINE NON AVAILABLE	AAP upgrade kit (Animated adjustment procedure)	8-33300045		-	O	O	O
	Data base upgrade - A 94	8-34100050		O	-	-	-
	USA Data bank updating anable kit	8-34900031		O	-	-	-

CAMERA WHEEL ALIGNMENT TECHNOLOGY

A 92E

two camera professional wheel aligner for cars and vans

STANDARD ACCESSORIES



Code	Electric Supply	Description	
0-34102201/36	115-230V/1PH/50-60Hz	A 92E FULL PACK Two 5-Megapixel digital camera for machine vision, NEW LIGHT TARGETS WITH ANTI-REFLECTIVE FILTER, SUITABLE FOR ANY WHEEL CLAMP. Provided with measuring beam, column, PC, keyboard, mouse, 4 hi-resolution small targets, steering wheel lock, brake depressor. LCD Display, printer unit, wheel clamps and turntables not included.	
0-34102301/36	115-230V/1PH/50-60Hz	A 92E NO-PC Features: Two 5-Megapixel digital camera for machine vision, NEW LIGHT TARGETS WITH ANTI-REFLECTIVE FILTER, SUITABLE FOR ANY WHEEL CLAMP. Provided with measuring beam, column, 4 hi-resolution small targets, steering wheel lock, brake depressor. LCD Display, wheel clamps, PC, printer, keyboard, mouse and turntables not included.	
8-34900068/40		Customization kit: alignment software, user manuals, customization items (Compulsory)	

A 92E PIT CHECK

two camera professional wheel aligner for cars and vans
DRIVE THRU

STANDARD ACCESSORIES



Code	Electric Supply	Description	
0-34102401/40	115-230V/1PH/50-60Hz	A 92E PIT CHECK FULL PACK: Wheel aligner and precheck with two Hi-Q digital camera for machine vision, suitable for any wheel clamp. Provided with camera measuring units, wheeled cabinet, PC, keyboard, mouse, 4 hi-resolution light targets with anti-reflective filter, steering wheel lock, brake depressor. LCD Display, printer, wheel clamps, turntables and side posts not included.	
0-34102501/40	115-230V/1PH/50-60Hz	A 92E PIT CHECK NO-PC: Wheel aligner and precheck with two Hi-Q digital camera for machine vision, suitable for any wheel clamp. Provided with camera measuring units, wheeled cabinet, 4 hi-resolution light targets with anti-reflective filter, steering wheel lock, brake depressor. PC, keyboard, mouse, LCD display, printer, wheel clamps, turntables and side posts not included.	
8-34900085		Customization kit to be ordered with A 92E PIT CHECK: alignment software, user manuals, customization items (compulsory)	

COMPULSORY ACCESSORIES FOR A 92E PIT CHECK

Image	Description	Code	
	<p>KIT LOW COLUMNS (1.000mm): for installation in pit or for precheck in acceptance.</p> <p>COMPULSORY (as an alternative to P/N 8-34900081)</p>	8-34900080	
	<p>KIT HIGH COLUMNS (2600 mm): for installation with hoist. Measurement and adjustment operations at fixed height.</p> <p>COMPULSORY (as an alternative to P/N 8-34900080)</p>	8-34900081	

A 92

DELIVERY AVAILABLE FROM CHINA ONLY

Monitor NOT included



A92 FULL PACK

Monitor NOT included



A92 NO PC

Monitor NOT included



A92 WALL

STANDARD ACCESSORIES

cod.
8-33100082










cod.
8-33100081








Code	Description	
0-34901108/40	A 92 Full Pack: measuring beam, column, PC, keyboard, mouse, 4 target and 4 clamps 10"-21", 4 adaptor kit for up to 26", brake pedal depressor, steering lock, pair of turntables push mode ROC adaptors. DELIVERY AVAILABLE FROM CHINA ONLY	
0-34901104/40	A 92 No PC: measuring beam, column, 4 target and 4 clamps 10"-21", 4 adaptor kit for up to 26". brake pedal depressor, steering lock, pair of turntables push mode ROC adaptors. DELIVERY AVAILABLE FROM CHINA ONLY	
0-34901106/40	A 92 Kit: measuring beam, 4 target and 4 clamps 10"-21", 4 adaptor kit for up to 26".brake pedal depressor, steering lock. DELIVERY AVAILABLE FROM CHINA ONLY	
0-34901107/40	A 92 W NO PC Wall: measuring beam, beam wall bracket, wall mount console, 4 target and 4 clamps 10"-21", 4 adaptor kit for up to 26". brake pedal depressor, steering lock, pair of turntables. DELIVERY AVAILABLE FROM CHINA ONLY	
0-34901114	A 92 W Kit: measuring beam, 4 target and 4 clamps 10"-21", 4 adaptor kit for up to 26". brake pedal depressor, steering lock. DELIVERY AVAILABLE FROM CHINA ONLY	
0-34901115/40	A 92 W Full Pack: measuring beam, PC, keyboard, mouse, 4 target and 4 clamps 10"-21", 4 adaptor kit for up to 26", brake pedal depressor, steering lock, pair of turntables push mode ROC adaptors. DELIVERY AVAILABLE FROM CHINA ONLY	






OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	CM lift autotracking enabling kit for the CM camera mover with wormgear (Delivery available both from Italy and China)	8-34900071		O	O	-	-	-	-	-
	CM Camera Mover with wormgear 115-230V/1PH/50-60Hz (Delivery available both from Italy and China)	8-34900064		O	O	-	-	-	-	-
	CM - Camera Mover with wormgear 115-230V/1PH/50-60Hz DELIVERY AVAILABLE FROM CHINA ONLY	8-34900059		-	-	O	O	-	O	-
	4x 4 points 11"-21" wheel clamps for cars, with 26" extenders included (Delivery available both from Italy and China)	8-34100022		O	O	-	-	-	-	O
	4x 4 points 11"-21" wheel clamps for cars (Delivery available both from Italy and China)	8-34100020		O	O	-	-	-	-	O
	Kit of extenders to 26" for clamps code 8-34100020 (Delivery available both from Italy and China)	8-34100021		O	O	-	-	-	-	O
	Pair of alu mechanical car turntables with 4X ROC ADAPTERS Dimensions: 500 x 470 x 50 mm. Disc diameter: 360 mm Max load: 3.000 kg 4x ROC Spacers included	8-33100204		O	O	O	O	O	O	O






OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	<p>Pair of car mechanical turntables with ROC push-mode kit (Without wheel stop). Dimensions: 485x435x48,5 mm. Load: 1000 kg. (Delivery available both from Italy and China)</p>	8-34900019		O	O	O	O	O	O	O
	<p>ROC push-mode kit - for turntables 8-34900019 (Delivery available both from Italy and China)</p>	8-34100052		O	O	O	O	O	O	O
	<p>4-point clamp support brackets for wall installation (4 pcs).</p>	8-31600017		O	O	O	O	O	O	O
	<p>Cabinet for printer unit (Delivery available both from Italy and China)</p>	8-34900036/40		O	O	O	O	O	O	O
	<p>Drive-On Assistant, with camera system for easy vehicle positioning in the working bay. (Delivery available both from Italy and China)</p>	8-34900021		O	O	O	O	O	O	-






OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	<p>Calibrator 2.0 complete for calibration and maintenance, only suitable for “A” versions (Delivery available both from Italy and China)</p>	8-34900011		O	O	O	O	O	O	O
	<p>Single target “B” for calibration, only suitable for “B” version.</p>	8-34900028		-	-	-	-	-	-	-
	<p>Standard rim kit for one clamp (4 pins) (Delivery available both from Italy and China)</p>	8-34900041		O	O	O	O	O	O	O
	<p>Aligner Trolley II: to use the wheel aligner in different working bays or in drive-thru mode (Delivery available both from Italy and China)</p>	8-34900072/90		O	O	O	O	-	-	-
	<p>Trolley 2.0: trolley for wheel clamps and targets</p>	8-34900074/40		O	O	-	-	-	-	O







OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	Smart trolley for clamp & target holders (1 unit).	8-34900018/00		-	-	0	0	0	0	-
	ClampOnTyre: Quick, self-centring, ergonomic. Fixing to the wheel, without contact with the rim. The supplied jaws allow gripping on wheel diameters from 19" to 32". Wheel arch protection included. The code includes one clamp. REMARK: To use the ClampOnTyre with A 92E aligner it is mandatory to order kit 8-34100048	8-33100189		0	0	0	-	-	-	0
<p>SMART ROC</p>	SMART-ROC feature enable MANDATORY FOR THE USE OF CLAMPONTYRE QUICK CLAMPS	8-34100048		0	0	-	-	-	-	0
	Set of extensions for vans: set for use with vans. Kit for one clamp. Accessory compatible with 8-33100189.	8-33100191		0	0	-	-	-	-	0
	Set of XL extensions: for wheel diameter from 32" to 39. Kit for one clamp. Accessory compatible with 8-33100189.	8-33100190		0	0	-	-	-	-	0
	kit consisting of 4 thin upper jaws for clampontyre. kit for 4 clamps.	8-33100202		0	0	-	-	-	-	0








OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	<p>Fall protection steel cable kit for 4 clamps: includes 4 steel cables and mounting components. Accessory compatible with 8-33100189.</p>	8-33100196		O	O	-	-	-	-	O
	<p>Wheel Rim Guard Kit: Plastic protection for very protruding rims. Accessory compatible with 8-33100189.</p>	8-33100197		O	O	-	-	-	-	O
	<p>Clamp holder multi-purpose trolley and additional jaws. Accessory compatible with 8-33100189.</p>	8-33100193		O	O	-	-	-	-	O
	<p>Clamp holder set for wall mounting with support for additional jaws. Accessory compatible with 8-33100189.</p>	8-33100192		O	O	-	-	-	-	O
 x4	<p>Set of 4 spacers for installation of kit 8-33100192 where ClampOnTyres are fitted with VAN extensions 8-33100191. Accessory compatible with 8-33100189</p>	8-33100195		O	O	-	-	-	-	-






OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	Quick clamp 9" to 21" for cars.	8-33100025		O	O	-	-	-	-	O
	Set of four 3-point automatic quick clamps from 10" to 21" for ALU rims and well centered rims, "Run Out" compensation is not required	803269218		O	O	-	-	-	-	O
	Carbon wheel bracket 10" to 26" for cars.	8-33100159		O	O	-	-	-	-	O
	Wheel hook kit for 4-points clamps (kit for 4 clamps). Includes the 8-33100185 (Kit of 4 plastic pins type 1). Suitable for clamps 8-33100159, 8-33100166, 8-33100130 and 8-33100177.	8-33100184		O	O	-	-	-	-	O
	Kit of 4 plastic pins type 1	8-33100185		O	O	-	-	-	-	O
	Kit of 4 plastic pins type 2	8-33100186		O	O	-	-	-	-	O






OPTIONAL ACCESSORIES

Image	Description	Code							
			A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	Kit of 4 plastic pins type 3	8-33100187	O	O	-	-	-	-	O
	Set of 4 double profile pins for wheel brackets.	8-33100039	O	O	-	-	-	-	O
	4" extensions kit + truck adapter for one 10-26" bracket.	8-33100100	O	O	-	-	-	-	O
	Wheel bracket 10" to 21" for car.	8-33100130	O	O	-	-	-	-	O
	Clamp for BMW and MERCEDES cars.	8-33100041	O	O	-	-	-	-	O
	Set of 4 double profile pins for wheel brackets.	8-33100039	O	O	-	-	-	-	O
 x4	SCC double pins (4 pcs.).	8-33120000	O	O	-	-	-	-	O







OPTIONAL ACCESSORIES

Image	Description	Code							
			A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	Kit of 4 resin coated/double-profile claws for wheel clamps code 8-33100159 and 8-33100130. One kit for one clamp.	8-33120002	O	O	-	-	-	-	O
	Kit of 4 resin coated/double-profile SCC claws for wheel clamps code 8-33100159 and 8-33100130. One kit for one clamp.	8-33120003	O	O	-	-	-	-	O
	Kit of double profile resin coated claws for wheel clamps 8-34100020 and 8-34100022. Kit for ONE CLAMP: includes 4x resin coated claws.	8-33120001	O	O	O	O	O	O	O
	Kit of double profile (RACING RIM / IRON RIM) resin coated claws for wheel. clamps 8-34100020 and 8-34100022. Kit for ONE CLAMP: includes 4x resin coated claws.	8-34100049	O	O	O	O	O	O	O
	Kit of double profile (RACING RIM / IRON RIM) claws for wheel clamps 8-34100020 and 8-34100022. Kit for ONE CLAMP: includes 4x steel claws.	8-34100051	O	O	O	O	O	O	O






OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	<p>Set of three 28" extensions for rapid clamps.</p>	8-33100026		O	O	-	-	-	-	O
	<p>Set of 12 long pins (57 mm) for rapid clamps.</p>	803284945		O	O	-	-	-	-	O
	<p>Set of 12 pin extensions of 58 mm for rapid clamps.</p>	803284947		O	O	-	-	-	-	O
	<p>Set of 4 safety connecting cords for sensors.</p>	803261239		O	O	-	-	-	-	O
	<p>Pair of car mechanical turntables whit ROC push-mode kit. Dimensions 400x450x50 mm - Ø 320 mm Range ± 40 mm. Load 1.000 kg. 4x roc spacers included.</p>	8-33100102		O	O	-	-	-	-	O





OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	<p>Pair of wheel stops for platforms code 8-33100101 and 8-33100102.</p>	8-33100103		O	O	-	-	-	-	O
	<p>Pair of mechanical turntables. Dimensions 375x305x50 mm - Ø 310 mm Range ± 35 mm Load 1000 kg</p>	803268866		O	O	-	-	-	-	O
	<p>Pair of pads for mechanical turntable 803268866.</p>	8-33100111		O	O	-	-	-	-	O
	<p>High mechanical turntable for cars (wheel stop included) Dimensions 400x450x53 mm Ø 320 mm Range ± 40 mm - Load 1000 kg</p>	804241069		O	O	-	-	-	-	O
	<p>ROC push-mode kit - iron turntable to be combined with 804241069, 803252094, 803227745, 8-33100101, 8-33100102. MANDATORY FOR PRODUCTS USING THE "ROC SMART" FUNCTION.</p>	803259570		O	O	-	-	-	-	O
	<p>High profile turntable Dimensions 400x450x36 mm - Ø 320 mm Range ± 40 mm Load 1000 kg</p>	803227745		O	O	-	-	-	-	O






OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	<p>Short slip plate Dimensions 835x370x37 mm Load 1000 kg to be combined with 803227745</p>	803227757		O	O	-	-	-	-	O
	<p>Low profile turntable Dimensions 400x450x26 mm - Ø 320 mm Range ± 40 mm Load 1000 kg</p>	803229274		O	O	-	-	-	-	O
	<p>Long slip plate Dimensions 1732x535x25 mm Load 1000 kg</p>	803231255		O	O	-	-	-	-	O
	<p>Pressure toe bar for Mercedes alignment.</p>	8-33100049		O	O	-	-	-	-	O
	<p>Special equipment for VAS alignment.</p>	803254284		O	O	-	-	-	-	-


OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	32" LCD monitor	8-31600016		O	O	-	-	-	-	-
	27" Basic Widescreen monitor.	8-34120000		O	O	O	O	O	O	O
	22" LCD/LED 22" Widescreen monitor.	8-21100234		O	O	O	O	O	O	O
	NEXREMOTE The tablet is used as a remote control unit of the graphic user interface or as an additional portable monitor. It can also be used to show in real time to the customer the current vehicle status.	8-31100001		O	O	O	O	O	O	O


OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	Wireless remote control kit (with 2.4 GHz industrial radio)	8-35100060		O	O	O	O	O	O	O
	USB inkjet colour printer. Available only for shipment from Italy	8-21120005		O	O	O	O	O	O	O
	USB inkjet colour printer. Not available for shipment from Italy	8-34900079		O	O	O	O	O	O	O
	USB <i>inkjet printer</i>	8-61200237		O	-	O	-	O	O	O
	Update card for Cal One Touch	8-33400053		O	O	O	O	O	O	O

OPTIONAL ACCESSORIES

Image	Description	Code		A 92E FULL PACK	A 92E No PC	A 92 FULL PACK	A 92 No PC	A 92 Wall	A 92 Kit	A 92E PIT CHECK
	Portable <i>induction heater</i>	8-35100059		○	○	○	○	○	○	○
IMAGE NOT AVAILABLE	Data Bank updating kit.	8-34900032		○	○	○	○	○	○	○
IMAGE NOT AVAILABLE	AVP Kit (Audi, VW procedure)	8-34100027		○	○	○	○	○	○	○
IMAGE NOT AVAILABLE	USA Data Bank updating enable kit (to renew yearly)	8-34900029		○	○	○	○	○	○	○
IMAGE NOT AVAILABLE	Animations full update kit	8-34900053		○	○	○	○	○	○	○

INTERNET SERVICE TO UPDATE THE DATABASE AND ACTIVATE NEW FEATURES REMOTELY, WITHOUT ON-SITE TECHNICAL SUPPORT.

Image	Description	Code	Price €	A 98	A 94	A 92E	A 92	A 926	A 948	A 100 Xpress
	DB-FULL	SMART UPDATE: Update of the INTERNATIONAL database via the Infoauto internet service.	8-33100205	O	O	-	-	O	O	-
	DB-FULL	SMART UPDATE: Update of the INTERNATIONAL database via the Infoauto internet service.	8-33100206	-	-	O	O	-	-	-
	DB-FULL	SMART UPDATE: Update of the INTERNATIONAL database via the Infoauto internet service.	8-33100207	-	-	-	-	-	-	O
	DB-USA	SMART UPDATE: Update of the U.S.A. and NORTH AMERICA database via the Infoauto internet service.	8-33100208	O	O	-	-	O	O	-
	DB-USA	SMART UPDATE: Update of the U.S.A. and NORTH AMERICA database via the Infoauto internet service.	8-33100209	-	-	O	O	-	-	-
	DB-FULL	SMART UPDATE: Update of the INTERNATIONAL + U.S.A. and NORTH AMERICA database via the Infoauto internet service.	8-33100219	O	O	-	-	O	O	-
	DB-FULL	SMART UPDATE: Update of the INTERNATIONAL + U.S.A. and NORTH AMERICA database via the Infoauto internet service.	8-33100220	-	-	O	O	-	-	-
	PRC-AUTOT	SMART UPDATE: Activation of AUTOTRACKING.	8-33100217	-	O	O	-	-	-	-
	PRC-SROC	SMART UPDATE: Activation of SMART-ROC.	8-33100218	-	-	O	-	-	-	-
	PRC-ANIM	SMART UPDATE: Activation of STATIC VISUAL AIDS.	8-33100211	-	O	O	O	O	O	-
	PRC-ANIM	SMART UPDATE: Activation of ANIMATED VISUAL AIDS.	8-33100212	-	O	O	O	O	O	-
	PRC-OFF	SMART UPDATE: Activation of the MULTILINK procedure.	8-33100213	O	O	O	O	O	O	-
	PRC-ROMES	SMART UPDATE: Activation of the ROMESS procedure.	8-33100214	-	-	O	O	O	O	-
PRC-TRK	SMART UPDATE: Activation of the TRUCKS, TRAILERS, SEMI-TRAILERS procedure.	8-33100215	-	-	-	-	-	O	-	

