

EXPORT CATALOGUE

EFFECTIVE FROM MARCH 2026

ADAS SYSTEMS

& DIAGNOSIS



SICE
AUTOMOTIVE EQUIPMENT


REL. MARCH 2026

NEXION SPA reserves the right to change the specifications of its products at any time without prior notice. The company declines all responsibility in the event of claims deriving from the use of non-original accessories or spare parts with consequent forfeiture of the EC declaration of conformity.

SUMMARY



FRONT SENSORS CALIBRATION EQUIPMENT	4
PROADAS RS DIGITAL	4
PROADAS TS DIGITAL	5
PROADAS TS-3D DIGITAL	6
PROADAS START DIGITAL	7
PROADAS RS V1	8
PROADAS TS V1	9
PROADAS TS-3D V1	10
PROADAS START V1	11
PROADAS OPTIONAL ACCESSORIES	12
SIDE-REAR-360° SENSORS CALIBRATION EQUIPMENT	20
RADAR CALIBRATION EQUIPMENT	23
SCE 310	23
OPTIONAL ACCESSORIES FOR SCE 300 / 310	24
ACCESSORIES	29
IONE REMOTE	32
LIST OF SERVICE IONE REMOTE	33
SELF-DIAGNOSIS	35
IONE CRUISER	35
OPTIONAL ACCESSORIES IONE CRUISER	36
ACCESSORIES FOR ADAS & DIAGNOSIS	39

PROADAS RS DIGITAL





Pre-check SW



Code	Electrical Supply	Description
0-62103301/00	110-230/1ph/50-60Hz	PROADAS RS DIGITAL The RS Digital kit is designed for customers not having a wheel aligner and is composed by: PROADAS SCE 910, Radar panel, Optical sensors adjustment kit, Kit HL v.2, n. 2 BT laser pointers, Laser pointer support for bracket, Steering lock, License for wheel alignment pre-check, Short bar kit with pins, 75" Monitor, Mini-PC for digital targets reproduction for the front camera. Four (4) brackets are needed (not included as standard).
8-62100123		Functionality license PROADAS DIGITAL, 12 months subscription (compulsory)
8-62400011		Customization kit PROADAS RS DIGITAL (compulsory)



PROADAS TS DIGITAL



Code	Electrical Supply	Description	
0-62103401/00	110-230/1ph/50-60Hz	PROADAS TS DIGITAL The TS Digital kit is designed for customers having a NEXION CCD wheel aligner and is composed by : PROADAS SCE 910, Radar panel, HL. V.2 Kit, n. 2 BT laser pointers, Short radar bar kit with pins, Laser pointer support for bracket, 75" Monitor, Mini-PC for digital targets reproduction for the front camera, data exchange kit wheel aligners - PROADAS.	
8-62100123		Functionality license PROADAS DIGITAL, 12 months subscription (compulsory)	
8-62400012		Customization kit PROADAS TS DIGITAL (compulsory)	



PROADAS TS-3D DIGITAL




Code	Electrical Supply	Description	
0-62103501/00	110-230/1ph/50-60Hz	PROADAS TS-3D DIGITAL The TS-3D Digital kit is designed for customers having a NEXION new generation camera wheel aligner and is composed by : PROADAS SCE 910, Radar panel, n. 2 BT laser pointers, Laser pointer support for bracket, Long radar bar kit, 3D Target kit, 75" Monitor, Mini-PC for digital targets reproduction for the front camera, data exchange kit wheel aligner - PROADAS.	
8-62100123		Functionality license PROADAS DIGITAL, 12 months subscription (compulsory)	
8-62400013		Customization kit PROADAS TS-3D DIGITAL (compulsory)	



PROADAS START DIGITAL



Code	Electrical Supply	Description	
0-62103601/00	110-230/1ph/50-60Hz	PROADAS START DIGITAL The START kit is composed by : PROADAS SCE 910, Radar panel,n, 2 laser pointers, START alignment kit, Long radar bar kit, 75" Monitor, Monitor cover, Mini-PC for digital targets reproduction for the front camera. Two (2) brackets are needed (not included as standard).	
8-62100123		Functionality license PROADAS DIGITAL, 12 months subscription (compulsory)	
8-62400014		Customization kit PROADAS START DIGITAL (compulsory)	



PROADAS RS V1




Code	Electrical Supply	Description	
0-62103701/00	110-230V/1PH/60-60HZ	PROADAS RS V1 The RS V1 kit is designed for customers not having a wheel aligner and is composed by: PROADAS SCE 910, Radar panel, Optical sensors adjustment kit, Laser pointer support for bracket, Steering lock, License for wheel alignment pre-check; Short bar kit. Four (4) brackets are needed, NOT INCLUDED AS STANDARD.	
8-62100012		Functionality license 12 months subscription (compulsory)	
8-62400015		RS V1 customization kit (compulsory)	



PROADAS TS V1



Code	Electrical Supply	Description	
0-62103801/00	110-230V/1PH/60-60HZ	PROADAS TS V1 The TS V1 kit is designed for customers having a NEXION CCD wheel aligner and is composed by : PROADAS SCE 910, Radar panel, HL. V.2 Kit, Short radar bar kit with pins, Laser pointer support for bracket, data exchange kit wheel aligner - PROADAS.	
8-62100012		Functionality license , 12 months subscription (compulsory)	
8-62400016		TS V1 customization kit (compulsory)	



PROADAS TS-3D V1







Code	Electrical Supply	Description	
0-62103901/00	110-230V/1PH/60-60HZ	PROADAS TS-3D V1 The TS-3D V1 kit is designed for customers having a NEXION new generation camera wheel aligner and is composed by : PROADAS SCE 910, Radar panel, n. 2 BT laser pointers, Laser pointer support for bracket, Long radar bar kit, 3D target kit, data exchange kit wheel aligner - PROADAS.	
8-62100012		Functionality license , 12 months subscription (compulsory)	
8-62400017		TS-3D V1 customization kit (compulsory)	

PROADAS START V1







Code	Electrical Supply	Description	
0-62104001/00	110-230V/1PH/60-60HZ	PROADAS START V1 The START V1 kit is composed by : PROADAS SCE 910, Radar panel, START alignment kit, Long radar bar kit. Two (2) brackets are needed, NOT INCLUDED AS STANDARD	
8-62100012		Functionality license 12 months subscription (compulsory)	
8-62400018		START V1 customization kit (compulsory)	





PROADAS OPTIONAL ACCESSORIES

Image	Description	Code		RS	TS	TS-3D	START
COMPLEMENTS							
	<p>START alignment kit: PROADAS alignment kit by laser pointers for PROADAS TS-3D, composed by: Pair (2) of targets to be mounted on the clamps of the vehicle rear axis, calibration kit, Pair (2) of supports for orthogonality measurements of laser pointer 1 and 2</p>	8-62100054/91		-	-	○	●
	<p>PROADAS START – camera wheel aligner alignment kit: Kit to align PROADAS START to camera wheel aligner - Long bar, composed by : Pair (2) of supports for long bar target, Pair (2) of adjustment targets, Wi-Fi Router, USB storage key</p>	8-62600006		-	-	●	○
	<p>PROADAS RS/TS – camera wheel aligner alignment kit : Kit to align PROADAS RS/TS to camera wheel aligner - Short bar, composed by: Pair (2) of adjustment targets, Wi-Fi Router, USB storage key</p>	8-34100025		○	○	-	-
	<p>Software enabling kit for wheel aligner A926E - PROADAS : USB software key A926E, software pack + sim card, hardlock, 50 cm USB cable, pedal brake depressor - compatible with tablet 10" Win 10, BT keyboard</p>	8-62400006		○	-	-	-







PROADAS OPTIONAL ACCESSORIES

PROADAS OPTIONAL ACCESSORIES				RS	TS	TS-3D	START
Image	Description	Code					
COMPLEMENTS							
	<i>Pair of 10-21" brackets</i> with pin and extention kit up to 26"	8-62100061		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<i>Pair of 10-26" carbon brackets</i> for cars	8-62100021		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<i>Support kit</i> for selfcentering brackets	8-31600017		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<i>Pair of 13-28" support</i> rapid brackets	8-62100050		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
IMAGE NOT AVAILABLE	<i>Pair of laser pointers</i> for pair of 13-28" support rapid brackets	8-62100062		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>






PROADAS OPTIONAL ACCESSORIES

Image	Description	Code		RS	TS	TS-3D	START
	<p>Support panel for 4 sensors head, 4 carbon clamps, steering lock and charging module for sensor heads</p>	8-62100038/39		○	○	○	-
	<p>Pair of brackets for support panel</p>	8-62100063/92		○	○	○	○
	<p>Calibration unit for optical sensors</p>	8-62100042		○	○	-	-
<p>FRONT CAMERA CALIBRATION PANELS (ONLY FOR PROADAS VERSIONS WITH PANELS)</p>							
	<p>Toyota/Lexus version 1, Mazda, Suzuki panel, front camera</p>	8-62100037		○	○	○	○





PROADAS OPTIONAL ACCESSORIES

Image	Description	Code		RS	TS	TS-3D	START
	Toyota/Lexus version 2 , Mazda, Suzuki panel, front camera	8-62100045		○	○	○	○
	Mercedes panel , front camera	8-62100024		○	○	○	○
	Alfa Romeo panel , front camera	8-62100023		○	○	○	○
	Nissan panel version 1, front camera	8-62100025		○	○	○	○
	Nissan MERCEDES panel version 2, front camera	8-62100030		○	○	○	○
	VAG panel front camera	8-62100026		○	○	○	○








PROADAS OPTIONAL ACCESSORIES

Image	Description	Code		RS	TS	TS-3D	START
	<p>KIA-HYUNDAI, FIAT, PSA and JEEP panel, front camera</p>	<p>8-62100027</p>		<p>O</p>	<p>O</p>	<p>O</p>	<p>O</p>
	<p>HYUNDAI H350 panel, front camera iONE REMOTE is necessary for calibration</p>	<p>8-62100148</p>					
	<p>RENAULT and SMART panel, front camera</p>	<p>8-62100028</p>		<p>O</p>	<p>O</p>	<p>O</p>	<p>O</p>
	<p>Mazda panel, version 1, front camera</p>	<p>8-62100029</p>		<p>O</p>	<p>O</p>	<p>O</p>	<p>O</p>
	<p>Mazda panel, version 2, front camera</p>	<p>8-62100040</p>		<p>O</p>	<p>O</p>	<p>O</p>	<p>O</p>



PROADAS OPTIONAL ACCESSORIES

Image	Description	Code		RS	TS	TS-3D	START
	<p>SUZUKI panel, front camera</p>	8-62100041		○	○	○	○
	<p>SUZUKI, ISUZU, MAZDA front camera calibration panel</p>	8-62100065		○	○	○	○
	<p>MITSUBISHI panel front camera iONE REMOTE is necessary for calibration</p>	8-62100150		○	○	○	○
	<p>SUBARU-TOYOTA panel, front camera iONE REMOTE is necessary for calibration</p>	8-62100152		○	○	○	○






PROADAS OPTIONAL ACCESSORIES

Image	Description	Code		RS	TS	TS-3D	START
FRONT CAMERA AND LIDAR CALIBRATION PANELS (FOR ALL PROADAS VERSIONS)							
	LIDAR VAG panel	8-62100043		○	○	○	○
	HONDA VERS. 1 panel, front camera To be used with P/N 8-621000141 in PROADAS DIGITAL versions iONE REMOTE is necessary for calibration	8-62100151		○	○	○	○
	HONDA FRONT CAMERA PANEL VERS. 2 * Calibration panel for the front camera in HONDA vehicles *to be used with P/N 8-621000141 in PROADAS DIGITAL Versions	8-62100106		○	○	○	○
	SUBARU FRONT CAMERA CALIBRATION PANEL VERS. 2 * To be used with P/N 8-621000141 in PROADAS DIGITAL versions * iONE REMOTE is required	8-62100183		○	○	○	○
	IVECO front camera calibration panel Target panel extension kit for PROADAS DIGITAL P/N 8-62100141 is required. *iONE REMOTE is required	8-61200184		○	○	○	○
	TARGET PANEL EXTENSION KIT Kit for using physical panels with PROADAS DIGITAL	8-62100141		○	○	○	○
	KIA front camera calibration target	8-62100161		○	○	○	○








PROADAS OPTIONAL ACCESSORIES

Image	Description	Code		RS	TS	TS-3D	START
	<p>Tesla front camera calibration panel</p>	<p>8-62100187</p>		<p>○</p>	<p>○</p>	<p>○</p>	<p>○</p>
	<p>Calibration panel for the front camera in TOYOTA/LEXUS vehicles version 3 (double face). For PROADAS digital versions the code number 8-62100141 is required.</p>	<p>8-62100186</p>		<p>○</p>	<p>○</p>	<p>○</p>	<p>○</p>





SIDE-REAR-360° SENSORS CALIBRATION EQUIPMENT

Image	Description	Code	
	<p>SCE 700: equipment designed for the calibration of the AVM camera system, rear camera and BlindSpot for VAG group vehicles, composed by: Panel to calibrate the rear VAG camera Pair (2) of vertical targets + supports for AVM camera 1 red laser blade + support</p>	0-62103101/00	
	<p>VAG side mats for VAG AVM camera calibration</p>	8-62100052	
	<p>Rear camera kit - RENAULT</p>	8-62100067	
	<p>360° CAMERA KIT RENAULT Kit for 360° camera calibration on Renault-Dacia vehicles</p>	8-62100068	
	<p>360° camera kit MAZDA</p>	8-62100130	


SIDE-REAR-360° SENSORS CALIBRATION EQUIPMENT

Image	Description	Code	
	<p>360° camera kit TOYOTA/LEXUS type 1 Kit for 360° camera calibration in TOYOTA/LEXUS type 1 vehicles</p>	8-62100142	
	<p>KIA/HYUNDAI 360° CAMERA MATS KIT Kit for 360 ° camera calibration in Kia-Hyundai vehicles</p>	8-62100109	
	<p>MB REAR CAMERA KIT TYPE 2 Kit for calibrating the rear camera in MB vehicles</p>	8-62100122	
	<p>TOYOTA/LEXUS REAR CAMERA CALIBRATION TARGET Rear camera calibration target in Toyota/Lexus vehicles</p>	8-62100146	
	<p>NISSAN type 1 rear camera calibration mat kit iONE REMOTE is necessary for calibration</p>	8-62100153	
	<p>NISSAN type 2 rear camera calibration mat kit iONE REMOTE is necessary for calibration</p>	8-62100154	
	<p>NISSAN type 3 rear camera calibration mat kit iONE REMOTE is necessary for calibration</p>	8-62100155	




SIDE-REAR-360° SENSORS CALIBRATION EQUIPMENT

Image	Description	Code	
	<p>OPEL 360 camera calibration mat kit</p>	<p>8-62100166</p>	
	<p>MITSUBISHI 360 camera calibration kit</p>	<p>8-62100167</p>	
	<p>SUBARU rear camera calibration mat kit</p>	<p>8-62100184</p>	
<p>NEW!</p> 	<p>Calibration kit 360 camera for PEUGEOT, DS, OPEL and FIAT</p>	<p>8-62100185</p>	



SCE 310

SCE 310	Description	Code	
	<p>Equipment designed for ADAS radar sensor calibration for Mazda, Toyota, Honda, Subaru, Kia-Hyunday, Suzuki brands * Reflector, Green Laser Blade and distance/height measurement NOT included; please use the ones supplied with PROADAS</p>	<p>0-62103201/91</p>	


OPTIONAL ACCESSORIES FOR SCE 300 / 310

Image	Description	Code	
	<p>Reflector type 1 for Toyota, Honda, Subaru, Suzuki and Mazda brands. To be used with SCE 310.</p>	8-62100046	
	<p>Reflector type 2 for Kia, Hyundai and Mazda brands. To be used with SCE 310.</p>	8-62100047	
	<p>Reflector type 3 for MITSUBISHI. To be used with SCE 310. iONE REMOTE is necessary for calibration</p>	8-62100149	

OPTIONAL ACCESSORIES FOR SCE 300 / 310

Image	Description	Code	
	<p>ALIGNMENT KIT SCE 300 Kit to be integrated with the SCE 300 equipment to be able to quickly and accurately calibrate the ADAS radar sensors for the Toyota, Honda, Subaru, Kia-Hyundai and Mazda brands</p>	8-62100107/91	
	<p>SMART CITY BRAKE-MAZDA CONTROL PANEL Panel for controlling the correct operation of the laser sensor on some Mazda models. To be used with SCE 310.</p>	8-62100136	


RADAR CALIBRATION EQUIPMENT

Image	Description	Code	
	<p>VAG-MAZDA Doppler device for Radar-BSD sensors</p>	8-62100060/00	
	<p>Toyota/Lexus parking sensor positioning kit</p>	8-62100143	
	<p>VAG front radar calibration panel* *requires support kit code 8-62100178</p>	8-62100162	
	<p>Support kit</p>	8-62100178	
	<p>Renault type 2 radar adjustment template (Captur II) - 2223</p>	8-62100156	



RADAR CALIBRATION EQUIPMENT

Image	Description	Code	
	Renault type 1 radar adjustment template (Clio V) - 2213	8-62100157	
	Renault type 3 radar adjustment template (Megane IV and Zoe ph.2) - 2224	8-62100158	
	Renault type 4 radar adjustment template (Master III) - 2207	8-62100159	
	Renault type 5 radar adjustment template (Espace V) - 2229	8-62100160	
	Mercedes type 1 radar adjustment template (Romess)	8-62100163	
	FCA radar adjustment template	8-62100164	
	Mercedes type 2 radar adjustment template	8-62100180	





RADAR CALIBRATION EQUIPMENT

Image	Description	Code	
	VOLVO FRONT CAMERA AND RADAR adjustment template	8-62100181	
<div style="background-color: orange; color: white; padding: 2px; display: inline-block; font-weight: bold;">NEW!</div> IMAGE NOT AVAILABLE	Adjustment tool kit for Tesla front camera and radar	8-62100188	







NIGHT SENSOR CALIBRATION EQUIPMENT

Image	Description	Code	
	Night vision VAG* *requires support kit code 8-62100178	8-62100165	
	Night vision Mercedes-Benz	8-62100179/00	




OPTIONAL ACCESSORIES

Image	Description	Code		RS	TS	TS-3D	START	SCE 300 / 310	SCE 700
MISCELLANEOUS									
	<p>Kit to update the PROADAS Panel versions in the version with Monitor* composed by: 75" monitor, monitor support plate, minipc, HDMI cable, monitor cover, anti-tipping kit**</p> <p>*it is necessary to order the PROADAS DIGITAL Functionality license, 12 months subscription, cod. 8-62100123, included in the price of the kit ** it is necessary to order the WHEEL KIT Ø80mm cod. 8-62100044 for PROADAS produced in 2019.</p>	8-62100138		○	○	○	○	-	-
	<p>Protection cover for PROADAS with Panels</p>	8-62100069		○	○	○	○	-	-
	<p>Headlight cover kit including 2 headlight covers</p>	8-62100145		○	○	○	○	○	○
	<p>Green Laser blade</p>	8-62100064		●	●	●	●	○	○



OPTIONAL ACCESSORIES

Image	Description	Code		RS	TS	TS-3D	START	SCE 300 / 310	SCE 700
	Battery charger kit , includes: charger with power supply, n.4 rechargeable batteries type AA, n.4 rechargeable batteries type AAA	8-62100117		O	O	O	O	O	O
	F35 Flash battery charger	8-62100177		O	O	O	O	O	O
	Steering wheel level	8-33100050		O	O	O	O	-	-
	Brake pedal depressor	8-33100081		O	O	O	O	-	-
	Steering lock	8-33100082		●	O	O	O	-	-
	Webcam kit for PROADAS DIGITAL	8-62100182		O	O	O	O	-	-

OPTIONAL ACCESSORIES

Image	Description	Code		RS	TS	TS-3D	START	SCE 300 / 310	SCE 700
	<p>PROADAS software kit 2.0: enabling kit to use PROADAS for diagnose of third parties. Windows operating system.</p>	8-62100135		○	○	○	○	○	○
	<p>Renewal for PROADAS functionality license, 12 months subscription starting from previous expiry date. Online procedure. It includes one-year updating service starting from the previous expiry date. Windows operating system.</p>	8-62100013		○	○	○	○	○	○
	<p>Renewal for PROADAS DIGITAL functionality license, 12 months. Subscription starting from previous expiry date.</p>	8-62100124		○	○	○	○	○	○

iONE REMOTE

Code		Description	
0-67501700		<p>iONE REMOTE Remote support device</p>	
8-62500003		<p>Credits for remote diagnosis service – credits (10)* Remote support service for ADAS calibrations. *It is necessary to purchase the iONE REMOTE device</p>	
8-62500004		<p>Credits for remote diagnosis service – credits (30)* Remote support service for ADAS calibrations. *It is necessary to purchase the iONE REMOTE device</p>	


LIST OF SERVICE iONE REMOTE

Equipaggiamento per la calibrazione sensori ADAS • ADAS sensors calibration equipment

Modello Model	Modalità lavoro Way of working	Tecnologia Technology	FUNZIONI - FUNCTIONS									
Proadas RS					 <i>OPTIONAL</i>							
Proadas START												
Proadas TS												
Proadas TS-3D												
SCE 310												
SCE 700												

Proadas RS	Proadas START	SCE 310	SCE 700	Con assetto 3D 3D wheel aligners	Con assetto CCD CCD wheel aligners	Telecamera 3D 3D camera	Testine CCD CCD sensors heads	Puntatore Laser Laser pointers	Controllo pos. tempo reale Real time positining control
Precheck assetto Precheck wheel alignment	Manutenzione assetto Wheel alignment service	Telecamera frontale Front camera	Telecamera posteriore Rear camera	Telecamera 360° 360° camera	Radar frontale Front radar	Radar BSD BSD radar	LIDAR frontale Front LIDAR		

iONE CRUISER



Compatible with






Diagnosis License not Included



iONE CRUISER

Code		Description	
0-67501200		iONE CRUISER New generation diagnostic device, designed to work with all types of vehicles and communication protocols with the different ECU.	
8-67500010	iONE CRUISER	Activation License iONE - Export (Compulsory) Included 12 months update service. Licenses can be activated through SOCIO Collection portal.	









OPTIONAL ACCESSORIES IONE CRUISER

Image	Description	Code	
LICENSES AND SUBSCRIPTIONS			
	Activation license Security Gateway Management. Includes: 12 months subscription	8-67500017	
	Subscription renewal Security Gateway Management - 12 months	8-67500018	
	12 Months subscription renewal iONE - EXPORT Update subscription service for valid or expired subscriptions less than 7 months. Included: extension update service of 12 months from the previous expiry date. Renewable through SOCIO Collection portal	8-67500011	

OPTIONAL ACCESSORIES iONE CRUISER



Image	Description	Code	
COMPLEMENTARY			
	Tablet ANDROID 10" (NOT for ADAS)	8-67501100	
	Activation License iONE TECHDATA - EXPORT Optional license for ONLINE technical data consultation. Available languages: IT, UK, DE, FR, PT, ES, GR. This license is only issued and enabled in combination with an iONE Windows license in course of validity.	8-67500014	

IT INCLUDES FOLLOWING SERVICES:




TECHNICAL CONTENT PROVIDED INCOLLABORATION WITH HAYNESPRO

OPTIONAL ACCESSORIES iONE CRUISER

Image	Description	Code	
	<p>STEERING WHEEL RESET FOR iONE CRUISER STEERING WHEEL RESET (SWR) LICENSE 12 months</p> <p>Steering Wheel Reset is a specific application, fully integrated with the wheel alignment software.</p> <p>Selecting the vehicle automatically loads the Steering Wheel Reset functions as needed, allowing an easy and fast steering wheel angle reset.</p>	8-67500019	
	<p>USB/Bluetooth Dongle Kit Required for use with the SWR license</p> <ul style="list-style-type: none"> - Long-range USB/Bluetooth dongle with antenna - USB extension cable with mounting adhesive 	8-67500020	

CONNECTIVITY



ACCESSORIES FOR ADAS & DIAGNOSIS

<i>Image</i>	<i>Description</i>	<i>Code</i>	
	<p>TABLET 10" RUGGED WIN10 – RIS. 1920X1080</p>	<p>8-62100108</p>	
	<p>Win10 Laptop</p>	<p>8-33100164</p>	

